



Tyre Slick

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Tyre Slick
CAS No. Not applicable.
EC No. Not applicable.
REACH Registration No. Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Not known.Uses Advised AgainstNot known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Trade Chemicals Ltd
Address of Manufacturer Thomas Street

Blackpool

Postal code FY1 3HG
Telephone: 03338002345
Fax Not known.

E-mail sales@trade-chem.co.uk

Office hours

Supplier

Company Identification Trade Chemicals Ltd
Address of Supplier Thomas Street

Blackpool

Postal code FY1 3HG
Telephone: 03338002345
Fax Not known.

E-mail stuart@trade-chem.co.uk

Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. 03338002345
Contact Support Team

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)



Date of Issue: 13-05-2021 Date of Revision: 11-01-2021

Tyre Slick

Product Name Tyre Slick

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) None.

Precautionary Statement(s) P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

2.3 Other hazards

None known.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration No.			
Benzenesulfonic acid, 4-C10-13-sec-alkyl	85536-14-7	287-494-3	<.7	Acute Tox. 4 H302	GHS05
derivs.				Skin Irrit. 2 H315	GHS07
				Eye Dam. 1 H318	
				Aquatic Chronic 3 H412	
octamethylcyclotetrasiloxane	556-67-2	209-136-7	<.5	Flam. Liq. 3 H226	GHS02
				Repr. 2 H361	GHS08
				Aquatic Chronic 4 H413	



Date of Issue: 13-05-2021 Date of Revision: 11-01-2021

Tyre Slick

Isotridecanol, ethoxylated	69011-36-5	500-241-6		Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07
dodecamethylcyclohexasiloxane	540-97-6	208-762-8	<0.3	Not classified	None
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone	55965-84-9	611-341-5		Acute Tox. 3 H301 Acute Tox. 2 H310 Skin Corr. 1C H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-factor	ATE
		Concentration Limit		
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	85536-14-7			Acute Tox. 4 (H302)
				: 500.000
Isotridecanol, ethoxylated	69011-36-5			Acute Tox. 4 (H302)
				: 500.000
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with	55965-84-9		Aquatic Chronic	Acute Tox. 3 (H301)
2-methyl-3(2H)-isothiazolone			1: 100	: 100.000
				Acute Tox. 2 (H310)
				: 50.000
				Acute Tox. 2 (H330)
				: 0.500

Contains a non-classified vPvB substance. Dodecamethylcyclohexasiloxane (540-97-6 208-762-8) Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures



Date of Issue: 13-05-2021 Date of Revision: 11-01-2021

Tyre Slick

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not known.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.





Tyre Slick

7.3 Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Not normally required.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour White

Odour Characteristic
Melting point/freezing point Not known.
Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Not known.

Flash Point

Auto-ignition temperature

Decomposition Temperature

Not known.

PH

Not known.

Kinematic Viscosity

Not known.



Date of Issue: 13-05-2021 Date of Revision: 11-01-2021

Tyre Slick

Solubility Solubility (Water): Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log

Not known.

value)

Vapour pressure Not known.

Density and/or relative density Not known.

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -

55487.74000

Acute toxicity - Skin Contact Calculation method : Not classified.

 ${\bf Calculation\ method: Calculated\ acute\ toxicity\ estimate\ (ATE)\ Calc\ ATE\ -}$

1000000.00000

Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE -

227272.73000

Skin corrosion/irritation Calculation method : Not classified.

Serious eye damage/irritation Calculation method : Not classified.

Skin sensitization data Calculation method : Not classified.





Tyre Slick

Respiratory sensitization data

Germ cell mutagenicity

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Calculation method : Not classified.

Reproductive toxicity

Calculation method : Not classified.

Lactation Not classified

STOT - single exposure Calculation method : Not classified.

STOT - repeated exposure Calculation method : Not classified.

Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

No special precautions are required for this product.

SECTION 14: TRANSPORT INFORMATION





Tyre Slick

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very octamethylcyclotetrasiloxane (556-67-2), Dodecamethylcyclohexasiloxane (540-97-

REACH: ANNEX XIV list of substances

Not listed

subject to authorisation

High Concern for Authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and

use of certain dangerous substances,

octamethylcyclotetrasiloxane (556-67-2), Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7), Isotridecanol, ethoxylated (69011-36-5), 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (55965-84-9)

mixtures and articles

Community Rolling Action Plan (CoRAP) Not listed Regulation (EC) N° 850/2004 of the Not listed

European Parliament and of the Council

on persistent organic pollutants Regulation (EC) N° 1005/2009 on

Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.





Tyre Slick

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s) None.

GHS02: GHS: Flame

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification Flam. Liq. 3 : Flammable liquid, Category 3

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 4: Acute toxicity, Category 4

Acute Tox. 2: Acute toxicity, Category 2

Skin Corr. 1C: Skin corrosion/irritation, Category 1C

Skin Irrit. 2: Skin corrosion/irritation, Category 2

Skin Sens. 1A: Skin sensitization, Category 1A

Eye Dam. 1: Serious eye damage/irritation, Category 1

Acute Tox. 2 : Acute toxicity, Category 2

Repr. 2: Reproductive toxicity, Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment, Chronic, Category 4

Hazard Statement(s) H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.





Tyre Slick

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H361: Suspected of damaging fertility or the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary Statement(s)

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands and exposed skin thoroughly after handling.

 ${\hbox{P280: Wear protective gloves/protective clothing/eye protection/face protection.}}\\$

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL: Derived No Effect Level

EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Trade Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent

Generated by HazMix[™] Page: 10 - 11 Revision: 1 - Replaces:



Date of Issue: 13-05-2021 Date of Revision: 11-01-2021

Tyre Slick

that exclusion is prevented by law. Trade Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.